



13HP Gasoline Engine Truck Mounted Road Marking Machine Airless Line Striper

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: WAGE
- Certification: EMS OHSMS
- Model Number: HGM-III
- Minimum Order Quantity: 1 set
- Price: 46000-48000USD per set
- Packaging Details: box
- Delivery Time: 1 to 3 weeks
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 5 set per week



Product Specification

- Cylinder: 2 Cylinders
- Moveing: Vehicle Mounted
- Glow: 20L Max X2
- Spraying Width: 50-500mm
- Working Pressure: 25Mpa
- Powder: 15PS Diesel Engine Or 13HP Gasoline Engine
- Highlight: **13HP Truck Mounted Road Marking Machine, Truck Mounted Airless Line Striper, 13HP Gasoline Engine Airless Line Striper**

for more products please visit us on wagetraffic.com

Product Description

Vehicle mounted double cylinder airless road line marking machine

Vehicle mounted double cylinder cold paint airless spraying road line marking machine



General instruction

1. WAGE dual-cylinder ambient temperature road line marking machine uses gasoline engine or diesel engine to drive hydraulic plunger pump to form high-pressure airless spraying.
2. Imported precise hydraulic plunger pump can effectively ensure the stability of pressure and the strong horsepower. The equipment adopts the vehicle spraying equipment of detachable paint barrel, which is simple to disassemble and assemble, and easy to use.
3. The image system necessary for vehicle marking makes the marking operation more accurate. Through two cameras on the front sight frame and the back spray gun frame, the two images will be displayed on the same LCD monitor with high resolution during construction operation, so that the position of the sight and spray gun frame can be adjusted conveniently and the marking operation can be more convenient.
4. The marking controller is equipped with Siemens automatic breaker. The signal is sensed to the computer through the Omron distance sensor. After the computer processing, the signal is transmitted to the spray gun and the marking is realized by controlling the opening and closing of the spray gun.
5. Vehicle-mounted ambient temperature marking machine is usually suitable for large area and long distance road ambient temperature marking construction.

Parameter

	HGM-
power	15PSEvaporative Water Cooled Diesel Engine /13.0HP gasoline (optional)
Core pump	Precision Hydraulic Piston Pump
Marking mode	High pressure airless spraying
Working pressure	25Mpa Max
Line dot system	Simmons automatic line dot controller
Flow max	20L/min x 2
Working pressure	25Mpa
Spraying width	50-500mm
Glass Micro sphere cylinder capacity	20L

Glass Micro sphere spraying system	Airless spraying and automatic dropping (optional)
size(L*W*H)	1480*920*1450mm
Weight	350kg/300kg



Hydraulic Piston pump



Siemens disconnection system

Construction



Contact:

Rita QU

Xi'an Wage Traffic Infrastructure Installation Co.,LTD

Mail: wagetrain@hotmai.com Cell/ Whatsapp: +86 15591818803

Add:Room 401, Unit 2, Bilding 2, Shenglong Plaza, Weiyang Road, Xi'an, 710016, Shaanxi, China



Xian WAGE Traffic Infrastructure Installation Co., Ltd.



+86 15591818803



rita@wagetrain.com



wagetrain.com

Room 401, Unit 2, Bilding 2, Shenglong Plaza, Weiyang Road, Xi'an, 710016, Shaanxi, China