

## PCD Grinding Head Road Line Marking Removal Machine With 35HP Air-With Suction

Our Product Introduction

for more products please visit us on [wagetrffic.com](http://wagetrffic.com)

### Basic Information

- Place of Origin: China
- Brand Name: WAGE
- Certification: EMS OHSMS
- Model Number: HG 1035
- Minimum Order Quantity: 1 set
- Price: 12000-12500USD per set
- Packaging Details: Composite board box
- Delivery Time: 1 to 3 weeks
- Payment Terms: L/C, T/T, Western Union, MoneyGram



### Product Specification

- Engine: 35P Air-cooling Gasoline Engine
- Grinding Head: PCD
- Grinding Width: 250mm Max
- Grinding Depth: 1-5mm
- Highlight: PCD grinding head road marking machine, 35HP air suction road line remover, road marking removal machine with suction



### More Images



## Product Description

### PCD Grinding Head Road Line Marking Removal Machine With 35HP Air-With Suction

#### Product Attributes

Attribute	Value
Engine	35P air-cooling gasoline engine
Grinding head	PCD
Grinding width	250mm max
Grinding depth	1-5mm

#### Product Description

HG 1035 booster pushing Road marking removal equipment PCD grinding with suction



#### Mechanical Type Pavement Marker Remover

The mechanical type pavement marking remover uses the gasoline engine to drive the rotation of grind head, so that the grinding head rub against the convex portion of the road surface, thereby achieve the purpose of cleaning the old road line.

The mechanical type pavement marking removal machine is easy to use, fast in construction, easy to maintain, and has good clearance for repeatedly applied thermoplastic marking lines, oscillating marking lines, cold paint marking lines, and even hard-wearing two-component marking lines. It integrates high efficiency, high quality and multi-function in one during the construction process.



## Features

Easy-to-use Depth Control System provides precise cutting depth

Vibration Reduction Technology provides up to 4X less vibration than the competition

Provides ultimate flexibility and allows deck to "float" on uneven surfaces

## Technical Parameters

Model	HG-1035
Engine	35P air-cooling gasoline engine
Grinding head	PCD
Grinding width	250mm max
Grinding depth	1-5mm
With	Heavy duty air filter, Front steering gear
Size (L*W*H)	1700*700*1100mm
Weight	230kg

## Contact

Rita QU

Xi 'an Wage Traffic Infrastructure Installation Co.,LTD

Mail: [wagetrainc@hotmail.com](mailto:wagetrainc@hotmail.com)

Cell/Whatsapp: +86 15591818803

Add: Room 401, Unit 2, Building 2, Shenglong Plaza, Weiyang Road, Xi'an, 710016, Shaanxi, China



**Xian WAGE Traffic Infrastructure Installation Co., Ltd.**



+86 15591818803



[rita@wagetrainc.com](mailto:rita@wagetrainc.com)



[wagetrainc.com](http://wagetrainc.com)

Room 401, Unit 2, Building 2, Shenglong Plaza, Weiyang Road, Xi'an, 710016, Shaanxi, China

